

SikaScreed® HardTop-60

DECLARATION OF PERFORMANCE 86229478

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	86229478
2	INTENDED USE/S	EN 13813:2002 Cementitious screed for use in buildings
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 CH- 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 4
6a	HARMONISED STANDARD:	EN 13813:2002

Notified body/ies:

Declaration of Performance

SikaScreed® HardTop-60

86229478

2018.11 , ver. 2

1029

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1fl	
Release of corrosive substances	CT	
Water permeability	NPD	
Water vapour permeability	NPD	
Compressive strength	C60	
Flexural strength	F7	EN 13813:2002
Wear resistance	A6	
Sound insulation	NPD	
Sound absorption	NPD	
Thermal resistance	NPD	
Chemical resistance	NPD	

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -
SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Samuel Plüss
Geschäftsführer
Wien 08 November 2018

Ing. Wolfgang Kohlert
Produktingenieur
Wien 08 November 2018



End of information as required by Regulation (EU) No 305/2011

Declaration of Performance

SikaScreed® HardTop-60
86229478
2018.11 , ver. 2
1029



15

Sika Services AG, Zurich, Switzerland

86229478

EN 13813:2002

Cementitious screed for use in buildings EN 13813:200 CT-C60-F7-A6

Reaction to fire	A1fl
Release of Corrosive substances	CT
Compressive strength	C60
Flexural strength	F7
Wear resistance	A6

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

SikaScreed® HardTop-60

86229478

2018.11 , ver. 2

1029

3/4

BUILDING TRUST



Sika Services AG
Tüffenwies 16-20
8064 Zürich
Switzerland

Declaration of Performance
SikaScreed® HardTop-60
86229478
2018.11 , ver. 2
1029

4/4

BUILDING TRUST

